



More than colour

## CHROMATIC PLASTER PRIMER

**PRODUCT DESCRIPTION AND USES:**

Chromatic plaster primer paint is a high-performance primer suitable for use on all interior and exterior surfaces. It is designed to penetrate new plaster, gypsum, concrete, cement and brick surfaces for optimum adhesion for subsequent decorative coats and is ideal for over coating with Chromatic Budget Emulsion Undercoat and/or final coatings. This product has excellent alkali and water resistance, sealing power and high hiding power properties.

**SURFACE PREPARATION:**

Surfaces to be painted must be clean and dry. No under bound or loose materials should be left prior to painting. Under bound and chalky surfaces can be treated with one coat of Chromatic Penetrating Primer.

**NEW SURFACES:**

Remove all nibs, efflorescence and loose materials. Dust off and fill small imperfections with Chromatic Skim Putty. Smooth down and ensure the surface is clean and dry. Apply 2 coats of Chromatic Budget Emulsion Undercoat thinned with water to normal working consistency

**BENEFITS & FEATURES:**

- Good adhesion
- Good opacity
- Low VOC (VOC:< 50 g/L)

**COLOUR RANGE:**

White and selected Chromatic Shades

**APPLICATION:**

By brush or roller

**DRYING TIME:**

Recoat after 2 -4 hours

**THINNING:**

Thin with clean tap water

**SPREADING CAPACITY:**

6-8 m<sup>2</sup>/Litre

**PACKING:**

4Litre & 20 Litre

## DISCLAIMER

The recommendations contained herein are given in good faith and meant to guide the user in accordance with good painting practices. They are gained from our tests and experiences and are believed to be accurate and reliable.

No warranty/guarantee is implied by the recommendations contained herein since the conditions of use; application method, substrate and cleanliness of the substrate are beyond the control of Chromatic Paints Uganda.

Technology may change with time, necessitating changes to this Technical Data Sheet (TDS). Chromatic Paints Uganda reserves the right to amend the TDS without any further notice. It is the responsibility of the user to ensure that the latest TDS is being used for reference

For health & safety information, please refer to our Material Safety Data Sheet (MSDS)

